



DECLARATION of PERFORMANCE

UKCA-DoP-008

- Unique Identification Code of the Product Type: AYPAN Type F PLASTERBOARDS WITH IMPROVED CORE COHESION AT HIGH TEMPERATURE 1200mm x (2000-3600 mm) x (12,5 mm) Square Edge – Tapered Edge) (AYPAN KIRMIZI)
- Intended Use/Uses: Type F AYPAN KIRMIZI, is plasterboard which is used for suspended ceilings, partition walls and linings where fire resistance is required.

3. Manufacturer:

Name: AYTAŞ Alçı Enerji Maden ve İnş.San.Tic.A.Ş.

Head Office Address: Turan Güneş Bulvarı 12/14 Çankaya/Ankara/Turkey

Production Address: Bala 35. KM TOL Mah. Bala/Ankara/Turkey

4. Authorized Representative: N/A

5. System of Assessment and Verification of Constancy of Performance: AVCP System 4

6. Harmonized Standard: TS EN 520+A1 :2010 Gypsum plasterboards - Definitions, requirements and test methods

Notified Body: TURKISH STANDARDS INSTITUTION (TSE), Notified Body Number: 1783 Initial Type Tests have been performed by Turkish Standard Institute with accreditation number AB-0001-T.

7. Declared Performances:

Characteristic	Relate Article of the Standard	Declared Levels and/or Classes	Notes
Reaction to Fire	4.2.1	A2-s1-d0	Test Report no: 1958789 Report Date: 13.12.2018
Flexural Strength	4.1.2	Transverse Direction: ≥ 16,8 x t N Longitudinal Direction: ≥ 43 x t N (*t: thickness)	
Direct AirborneSound Insulation	4.6.1	NPD	
Acoustic Absorption	4.6.2	NPD	
Impact Resistance	4.3	NPD	

8. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Responsible Person:

Place and Date:

Signature / Stamp

Recep Müdürü

18-10.2022

MERIMADEN VE İNŞ. SAN. TİC. A.

uran Guines Bulv. No: 12/14 Cankaya/ANKARA uran Guines Bulv. No: 12/14 Cankaya/ANKARA el: (0.312) 440 66 11 Fax: (0.312) 440 63 50 3 cmenler Vergi Dairesi 124 021 2591

Page 1 of 1